

TEST CERTIFICATE




The following products have been tested by airmid healthgroup Ltd as outlined in report(s)
ASCR092102v2


Product Description	AeraMax Pro AM III
Manufacturer	Fellowes
Certificate Number	AHGC: 92102/15/05/08/2080/01
Validation Period	1 Year
Outline of Test Method	Determination of removal efficiency of Influenza A (H1N1) following aerosolisation of the virus into a 20 m ³ environmental test chamber.
Additional SKUs	AeraMax Pro AMIII3, AM3 PC, AM35 PC AeraMax Pro AMIV, AMIVS, AM4 PC, AM4S PC

RESULTS

The Fellowes AeraMax Pro has been shown to remove 99.9% of airborne virus within 35 minutes of operation



*Results represent the average of n=3 runs. Device settings A: ionizer ON and filter low speed; device setting B: ionizer off and filter at low speed; device setting C: ionizer on and filter at high speed.


Dr Bruce Mitchell
Chairman/CEO
airmid healthgroup Ltd

Dated

16 MAY 2020



TEST ZERTIFIKAT

(Übersetzung)



Die folgenden Produkte wurden von der Airmid Healthgroup getestet wie in Bericht ASCR091202/15/05/08/2080/01 beschrieben

Produktbeschreibung:

Hersteller:

Zertifikats-Nr.:

Gültigkeit:

Prüfverfahren:

AeraMax Pro AM III

Fellowes

AHGC: 92102/15/05/08/2080/01

1 Jahr

Bestimmung der Entfernungseffizienz von Influenza A (H1N1) nach Aerosolisierung des Virus in einer 20m³ großen umgebungsnahe Testkammer.

Zusätzliche Artikel:


AeraMax Pro AMIIS, AM3 PC, AM3 PC, AM3S PC

AeraMax Pro AMIV, AMIVS, AM4 PC, AM4S PC

ERGEBNIS

Der Test des Fellowes AeraMax Pro Luftreiniger hat gezeigt, dass er 99,9% des luftübertragenen Virus innerhalb von 35 Minuten nach dem Start entfernt.

Prozentuale Verringerung der Influenza A im Laufe der Zeit mit und ohne Betrieb des AeraMax Pro AM III-Luftreinigers.*



*Die Ergebnisse stellen den Durchschnitt von n=3 Durchläufen dar. Geräteeinstellung A: Ionisator EIN und Filter mit niedriger Geschwindigkeit; Geräteeinstellung B: Ionisator aus und Filter mit niedriger Geschwindigkeit; Geräteeinstellung C: Ionisator ein und Filter mit hoher Geschwindigkeit

Dr Bruce Mitchell
Chairman/CEO
airmid healthgroup Ltd

16 MAY 2020

Dated

